

Utstein Style Cardiac Arrest Performance Template - City of Rogers (AR) Fire Department

December 2013

Training Division, EMS Programs

| | |
|--|---|
| Cardiac Arrest Calls: | 8 |
| CA Secondary to Acute Trauma: | 0 |
| CA Not Secondary to Acute Trauma: | 8 |
| Resuscitations Attempted: | 3 |
| Nontraumatic Resuscitations Attempted: | 3 |

ROSC = Return of Spontaneous Circulation
 CA = Cardiac Arrest
 PAD = Public Access Defibrillator

| CA Event, Not Witnessed | | | |
|--------------------------|--------------|-----|-------------|
| Group Total | | 6 | |
| Resuscitations Attempted | | 1 | |
| Bystander CPR | | 1 | <u>ROSC</u> |
| Initial Rhythm | Asystole | 4 | 0 |
| | VF/VT | 1 | 1 |
| | Other Rhythm | 1 | 0 |
| ROSC for Group | | 1 | |
| ROSC % for Group | | 17% | |

| CA Event, Witnessed | | | |
|--------------------------|--------------|-----|-------------|
| Group Total | | 2 | |
| Resuscitations Attempted | | 2 | |
| Bystander CPR | | 1 | <u>ROSC</u> |
| Initial Rhythm | Asystole | 0 | 0 |
| | VF/VT | 1 | 0 |
| | Other Rhythm | 1 | 1 |
| ROSC for Group | | 1 | |
| ROSC % for Group | | 50% | |

| CA Event, Witnessed by EMS | | | |
|----------------------------|--------------|---------|-------------|
| Group Total | | 0 | |
| Resuscitations Attempted | | 0 | |
| Bystander CPR | | N/A | <u>ROSC</u> |
| Initial Rhythm | Asystole | 0 | 0 |
| | VF/VT | 0 | 0 |
| | Other Rhythm | 0 | 0 |
| ROSC for Group | | 0 | |
| ROSC % for Group | | #DIV/0! | |

| Attempted Resuscitations | 3 | Percentage |
|--|---|------------|
| Cardiac Arrest with ROSC: | 2 | 67% |
| Nontraumatic Cardiac Arrest with ROSC: | 2 | 67% |
| Cardiac Arrest with PAD Available: | 1 | 33% |
| Cardiac Arrest with PAD Used: | 0 | 0% |
| Cardiac Arrest with Bystander CPR performed: | 2 | 67% |

| Public Access Defibrillator (PAD) | |
|-----------------------------------|-----|
| PAD Available | 13% |
| PAD Used | 0% |



