

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

January 2014

| | |
|---------------------------------|-----------|
| Cardiac Arrest Calls: | 12 |
| Cardiac Arrest - Cardiac Event: | 11 |
| Cardiac Arrest - Trauma Event: | 1 |
| Resuscitations Attempted: | 9 |

| CA Event, Witnessed | | | |
|--------------------------|--------------|-----|-------------|
| Group Total | | 3 | |
| Resuscitations Attempted | | 3 | |
| Bystander CPR | | 1 | <u>ROSC</u> |
| Initial Rhythm | Asystole | 0 | 0 |
| | VF/VT | 3 | 2 |
| | Other Rhythm | 0 | 0 |
| ROSC for Group | | 2 | |
| ROSC % for Group | | 67% | |

| CA Event, Not Witnessed | | | |
|--------------------------|--------------|----|-------------|
| Group Total | | 8 | |
| Resuscitations Attempted | | 5 | |
| Bystander CPR | | 3 | <u>ROSC</u> |
| Initial Rhythm | Asystole | 7 | 0 |
| | VF/VT | 1 | 0 |
| | Other Rhythm | 0 | 0 |
| ROSC for Group | | 0 | |
| ROSC % for Group | | 0% | |

| CA Event, Witnessed by EMS | | | |
|----------------------------|--------------|-----|-------------|
| Group Total | | 1 | |
| Resuscitations Attempted | | 1 | |
| Bystander CPR | | N/A | <u>ROSC</u> |
| Initial Rhythm | Asystole | 1 | 0 |
| | VF/VT | 0 | 0 |
| | Other Rhythm | 0 | 0 |
| ROSC for Group | | 0 | |
| ROSC % for Group | | 0% | |

| Public Access Defibrillator (AED) | | |
|-----------------------------------|---|----|
| AED Available | 0 | 0% |
| AED Used | 0 | 0% |
| AED ROSC | 0 | 0% |

| Attempted Resuscitations | 9 | Percentage |
|--|---|------------|
| Cardiac Arrest with ROSC: | 2 | 22% |
| Nontraumatic Cardiac Arrest with ROSC: | 2 | 22% |
| Cardiac Arrest with Bystander CPR performed: | 4 | 44% |

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**