

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

March 2014

Cardiac Arrest Calls:	6
Cardiac Arrest - Cardiac Event:	6
Cardiac Arrest - Trauma Event:	0
Resuscitations Attempted:	5

CA Event, Witnessed			
Group Total		3	
Resuscitations Attempted		3	
Bystander CPR		2	<u>ROSC</u>
Initial Rhythm	Asystole	2	0
	VF/VT	1	1
	Other Rhythm	0	0
ROSC for Group		1	
ROSC % for Group		33%	

CA Event, Not Witnessed			
Group Total		3	
Resuscitations Attempted		2	
Bystander CPR		2	<u>ROSC</u>
Initial Rhythm	Asystole	3	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

CA Event, Witnessed by EMS			
Group Total		0	
Resuscitations Attempted		0	
Bystander CPR		N/A	<u>ROSC</u>
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

Public Access Defibrillator (AED)			
AED Available	1	17%	
AED Used	0	0%	
AED ROSC	0	0%	

Attempted Resuscitations	5	Percentage
Cardiac Arrest with ROSC:	1	20%
Nontraumatic Cardiac Arrest with ROSC:	1	20%
Cardiac Arrest with Bystander CPR performed:	4	80%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**