

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

May 2014

Cardiac Arrest Calls:	10
Cardiac Arrest - Cardiac Event:	10
Cardiac Arrest - Trauma Event:	0
Resuscitations Attempted:	7

CA Event, Witnessed			
Group Total	1		
Resuscitations Attempted	1		
Bystander CPR	1		<u>ROSC</u>
Initial Rhythm	Asystole	1	1
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	1		
ROSC % for Group	100%		

CA Event, Not Witnessed			
Group Total	9		
Resuscitations Attempted	6		
Bystander CPR	3		<u>ROSC</u>
Initial Rhythm	Asystole	7	1
	VF/VT	1	0
	Other Rhythm	0	0
ROSC for Group	1		
ROSC % for Group	11%		

CA Event, Witnessed by EMS			
Group Total	0		
Resuscitations Attempted	0		
Bystander CPR	N/A		<u>ROSC</u>
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	#DIV/0!		

Public Access Defibrillator (AED)		
AED Available	0	0%
AED Used	0	0%
AED ROSC	0	0%

Attempted Resuscitations	7	Percentage
Cardiac Arrest with ROSC:	2	29%
Nontraumatic Cardiac Arrest with ROSC:	2	29%
Cardiac Arrest with Bystander CPR performed:	4	57%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**