

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

September 2014

Cardiac Arrest Calls:	10
Cardiac Arrest - Cardiac Event:	9
Cardiac Arrest - Trauma Event:	1
Resuscitations Attempted:	8

CA Event, Witnessed			
Group Total		4	
Resuscitations Attempted		4	
Bystander CPR		0	<u>ROSC</u>
Initial Rhythm	Asystole	2	0
	VF/VT	1	0
	Other Rhythm	1	1
ROSC for Group		1	
ROSC % for Group		25%	

CA Event, Not Witnessed			
Group Total		6	
Resuscitations Attempted		4	
Bystander CPR		1	<u>ROSC</u>
Initial Rhythm	Asystole	5	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

CA Event, Witnessed by EMS			
Group Total		0	
Resuscitations Attempted		0	
Bystander CPR		N/A	<u>ROSC</u>
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

Public Access Defibrillator (AED)		
AED Available	0	0%
AED Used	0	0%
AED ROSC	0	0%

Attempted Resuscitations	8	Percentage
Cardiac Arrest with ROSC:	1	13%
Nontraumatic Cardiac Arrest with ROSC:	1	13%
Cardiac Arrest with Bystander CPR performed:	1	13%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**