

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

July 2015

Cardiac Arrest Calls:	11
Cardiac Arrest - Cardiac Event:	9
Cardiac Arrest - Trauma Event:	2
Resuscitations Attempted:	7

CA Event, Witnessed			
Group Total		2	
Resuscitations Attempted		2	
Bystander CPR		1	<u>ROSC</u>
Initial Rhythm	Asystole	1	0
	VF/VT	1	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

CA Event, Not Witnessed			
Group Total		7	
Resuscitations Attempted		3	
Bystander CPR		0	<u>ROSC</u>
Initial Rhythm	Asystole	7	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

CA Event, Witnessed by EMS			
Group Total		2	
Resuscitations Attempted		2	
Bystander CPR		N/A	<u>ROSC</u>
Initial Rhythm	Asystole	2	1
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		1	
ROSC % for Group		50%	

Public Access Defibrillator (AED)			
AED Available	1	9%	
AED Used	1	9%	
AED ROSC	0	0%	

Attempted Resuscitations		7	Percentage
Cardiac Arrest with ROSC:		1	14%
Nontraumatic Cardiac Arrest with ROSC:		1	14%
Cardiac Arrest with Bystander CPR performed:		1	14%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**