

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

March 2016

Cardiac Arrest Calls:	6
Cardiac Arrest - Cardiac Event:	6
Cardiac Arrest - Trauma Event:	0
Resuscitations Attempted:	5

CA Event, Witnessed			
Group Total	1		
Resuscitations Attempted	1		
Bystander CPR	0	<u>ROSC</u>	
Initial Rhythm	Asystole	0	0
	VF/VT	1	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	0%		

CA Event, Not Witnessed			
Group Total	8		
Resuscitations Attempted	4		
Bystander CPR	1	<u>ROSC</u>	
Initial Rhythm	Asystole	8	2
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	2		
ROSC % for Group	25%		

CA Event, Witnessed by EMS			
Group Total	0		
Resuscitations Attempted	0		
Bystander CPR	N/A	<u>ROSC</u>	
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	N/A		

Public Access Defibrillator (AED)		
AED Available	0	0%
AED Used	0	0%
AED ROSC	0	0%

Attempted Resuscitations	5	Percentage
Cardiac Arrest with ROSC:	2	40%
Nontraumatic Cardiac Arrest with ROSC:	2	40%
Cardiac Arrest with Bystander CPR performed:	1	20%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**