

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

March 2017

Cardiac Arrest Calls:	10
Cardiac Arrest - Cardiac Event:	10
Cardiac Arrest - Trauma Event:	0
Resuscitations Attempted:	6

CA Event, Witnessed			
Group Total		2	
Resuscitations Attempted		2	
Bystander CPR		2	<u>ROSC</u>
Initial Rhythm	Asystole	2	1
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		1	
ROSC % for Group		50%	

CA Event, Not Witnessed			
Group Total		8	
Resuscitations Attempted		4	
Bystander CPR		1	<u>ROSC</u>
Initial Rhythm	Asystole	7	0
	VF/VT	1	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		0%	

CA Event, Witnessed by EMS			
Group Total		0	
Resuscitations Attempted		0	
Bystander CPR		N/A	<u>ROSC</u>
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group		N/A	

Public Access Defibrillator (AED)			
AED Available	1	10%	
AED Used	1	10%	
AED ROSC	1	10%	

Attempted Resuscitations		6	Percentage
Cardiac Arrest with ROSC:		1	17%
Nontraumatic Cardiac Arrest with ROSC:		1	17%
Cardiac Arrest with Bystander CPR performed:		3	50%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**