

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

April 2017

Cardiac Arrest Calls:	12
Cardiac Arrest - Cardiac Event:	11
Cardiac Arrest - Trauma Event:	1
Resuscitations Attempted:	6

CA Event, Witnessed			
Group Total	1		
Resuscitations Attempted	1		
Bystander CPR	0	<u>ROSC</u>	
Initial Rhythm	Asystole	1	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	0%		

CA Event, Not Witnessed			
Group Total	10		
Resuscitations Attempted	4		
Bystander CPR	4	<u>ROSC</u>	
Initial Rhythm	Asystole	10	1
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	1		
ROSC % for Group	10%		

CA Event, Witnessed by EMS			
Group Total	1		
Resuscitations Attempted	1		
Bystander CPR	N/A	<u>ROSC</u>	
Initial Rhythm	Asystole	0	0
	VF/VT	1	1
	Other Rhythm	0	0
ROSC for Group	1		
ROSC % for Group	100%		

Public Access Defibrillator (AED)		
AED Available	0	0%
AED Used	0	0%
AED ROSC	0	0%

Attempted Resuscitations	6	Percentage
Cardiac Arrest with ROSC:	2	33%
Nontraumatic Cardiac Arrest with ROSC:	2	33%
Cardiac Arrest with Bystander CPR performed:	4	67%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**