

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

July 2017

Cardiac Arrest Calls:	7
Cardiac Arrest - Cardiac Event:	7
Cardiac Arrest - Trauma Event:	0
Resuscitations Attempted:	4

CA Event, Witnessed			
Group Total		3	
Resuscitations Attempted		3	
Bystander CPR		2	<u>ROSC</u>
Initial Rhythm	Asystole	1	0
	VF/VT	2	1
	Other Rhythm	0	0
ROSC for Group		1	
ROSC % for Group			33%

CA Event, Not Witnessed			
Group Total		4	
Resuscitations Attempted		1	
Bystander CPR		1	<u>ROSC</u>
Initial Rhythm	Asystole	4	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group			0%

CA Event, Witnessed by EMS			
Group Total		0	
Resuscitations Attempted		0	
Bystander CPR		N/A	<u>ROSC</u>
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group		0	
ROSC % for Group			n/a

Public Access Defibrillator (AED)		
AED Available	0	0%
AED Used	0	0%
AED ROSC	0	0%

Attempted Resuscitations	4	Percentage
Cardiac Arrest with ROSC:	1	25%
Nontraumatic Cardiac Arrest with ROSC:	1	25%
Cardiac Arrest with Bystander CPR performed:	3	75%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**