

**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**

October 2017

Cardiac Arrest Calls:	4
Cardiac Arrest - Cardiac Event:	3
Cardiac Arrest - Trauma Event:	1
Resuscitations Attempted:	2

CA Event, Witnessed			
Group Total	2		
Resuscitations Attempted	2		
Bystander CPR	2	<u>ROSC</u>	
Initial Rhythm	Asystole	2	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	0%		

CA Event, Not Witnessed			
Group Total	2		
Resuscitations Attempted	0		
Bystander CPR	0	<u>ROSC</u>	
Initial Rhythm	Asystole	2	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	0%		

CA Event, Witnessed by EMS			
Group Total	0		
Resuscitations Attempted	0		
Bystander CPR	N/A	<u>ROSC</u>	
Initial Rhythm	Asystole	0	0
	VF/VT	0	0
	Other Rhythm	0	0
ROSC for Group	0		
ROSC % for Group	N/A		

Public Access Defibrillator (AED)			
AED Available	1	25%	
AED Used	1	25%	
AED ROSC	0	0%	

Attempted Resuscitations	2	Percentage
Cardiac Arrest with ROSC:	0	0%
Nontraumatic Cardiac Arrest with ROSC:	0	0%
Cardiac Arrest with Bystander CPR performed:	2	100%

ROSC = Return of Spontaneous Circulation

CA = Cardiac Arrest

PAD = Public Access Defibrillator

AED=Automated External Defibrillator



**Utstein Style Cardiac Arrest Performance Template
City of Rogers (AR) Fire Department
EMS Program, Training Division**