

Complaint	Code	Level	Subset	Determinant Descriptors	Codes	Call Type	Mode
Abdominal Pains/Problems	1	D	1	Not alert	01D01	<i>Pri 1, Med Emer</i>	
		D	0	Override	01D00	<i>Pri 1, Med Emer</i>	
		C	0	Override	01C00	<i>Pri 2, Med Emer</i>	
		C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	01C01	<i>Pri 1, Med Emer</i>	
		C	2	Known aortic aneurysm	01C02	<i>Pri 1, Med Emer</i>	
		C	3	Fainting or near fainting ≥ 50	01C03	<i>Pri 1, Med Emer</i>	
		C	4	Females with fainting or near fainting 12-50	01C04	<i>Pri 1, Med Emer</i>	
		C	5	Males with pain above navel ≥ 35	01C05	<i>Pri 2, Med Emer</i>	
		C	6	Females with pain above naval ≥ 45	01C06	<i>Pri 2, Med Emer</i>	
		A	1	Abdominal pain	01A01	<i>Pri 2, Med Emer</i>	
Allergies (Reactions) / Envenomations (Stings,Bites)	2	E	0	Override	02E00	<i>Pri 1, Med Emer</i>	
	2	E	1	INEFFECTIVE BREATHING *(to be selected from Case Entry only)	02E01	<i>Pri 1, Med Emer</i>	
		D	0	Override	02D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	02D01	<i>Pri 1, Med Emer</i>	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	02D02	<i>Pri 1, Med Emer</i>	
		D	3	Swarming ATTACK (bee, wasp, hornet)	02D03	<i>Pri 1, Med Emer</i>	
		D	4	Snakebite	02D04	<i>Pri 2, Med Emer</i>	
		C	0	Override	02C00	<i>Pri 2, Med Emer</i>	
		C	1	Difficulty breathing or swallowing	02C01	<i>Pri 1, Med Emer</i>	
		C	2	History of severe allergic reaction	02C02	<i>Pri 2, Med Emer</i>	

		B	0	Override	02B00	<i>Pri 2, Med Emer</i>	
		B	1	Unknown status/Other codes not applicable	02B01	<i>Pri 2, Med Emer</i>	Quiet
		A	1	No difficulty breathing or swallowing (rash, hives, or itching may be present)	02A01	<i>Med Transfer</i>	
		A	2	Spider bite	02A02	<i>Med Transfer</i>	
Animal Bites/Attacks	3	D	0	Override	03D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious or Arrest	03D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	03D02	<i>Pri 1, Med Emer</i>	
		D	3	Chest or Neck injury (with difficulty breathing)	03D03	<i>Pri 1, Med Emer</i>	
		D	4	DANGEROUS body area	03D04	<i>Pri 1, Med Emer</i>	
		D	5	Large animal	03D05	<i>Pri 1, Med Emer</i>	
		D	6	EXOTIC animal	03D06	<i>Pri 1, Med Emer</i>	
		D	7	ATTACK or multiple animals	03D07	<i>Pri 1, Med Emer</i>	
		B	0	Override	03B00	<i>Pri 2, Med Emer</i>	
		B	1	POSSIBLY DANGEROUS body area	03B01	<i>Pri 2, Med Emer</i>	
		B	2	SERIOUS hemorrhage	03B02	<i>Pri 2, Med Emer</i>	
		B	3	Unknown status/Other codes not applicable	03B03	<i>Pri 2, Med Emer</i>	
		A	1	NOT DANGEROUS body area	03A01	<i>Pri 2, Med Emer</i>	Quiet
		A	2	NON-RECENT (≥ 6 hours) injuries (without priority symptoms)	03A02	<i>Med Transfer</i>	
		A	3	SUPERFICIAL bites	03A03	<i>Med Transfer</i>	
Assault/Sexual Assault	4	D	0	Override	04D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious or Arrest	04D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	04D02	<i>Pri 1, Med Emer</i>	
		D	3	Chest or Neck injury (with difficulty breathing)	04D03	<i>Pri 1, Med Emer</i>	

		D	4	Multiple victims	04D04	<i>Pri 1, Med Emer</i>	
		B	0	Override	04B00	<i>Pri 2, Med Emer</i>	
		B	1	POSSIBLY DANGEROUS body area	04B01	<i>Pri 2, Med Emer</i>	
		B	2	SERIOUS hemorrhage	04B02	<i>Pri 2, Med Emer</i>	
		B	3	Unknown status/Other codes not applicable	04B03	<i>Pri 2, Med Emer</i>	
		A	1	NOT DANGEROUS body area	04A01	<i>Med Transfer</i>	
		A	2	NON-RECENT (≥ 6 hours) injuries (without priority symptoms)	04A02	<i>Med Transfer</i>	
Back Pain (Non-Traumatic or Non-Recent Trauma)	5	D	0	Override	05D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	05D01	<i>Pri 1, Med Emer</i>	
		C	0	Override	05C00	<i>Pri 2, Med Emer</i>	
		C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	05C01	<i>Pri 2, Med Emer</i>	
		C	2	Known aortic aneurysm	05C02	<i>Pri 2, Med Emer</i>	
		C	3	Fainting or near fainting ≥ 50	05C03	<i>Pri 2, Med Emer</i>	
		A	1	NON-TRAUMATIC back pain	05A01	<i>Med Transfer</i>	
		A	2	NON-RECENT (≥ 6 hours) injuries (without priority symptoms)	05A02	<i>Med Transfer</i>	
Breathing Problems	6	E	1	Override	06E00	<i>Pri 1, Med Emer</i>	
		E	1	INEFFECTIVE BREATHING *(to be selected from Case Entry only)	06E01	<i>Pri 1, Med Emer</i>	
		D	0	Override	06D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	06D01	<i>Pri 1, Med Emer</i>	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	06D02	<i>Pri 1, Med Emer</i>	
		D	3	CHANGING COLOR	06D03	<i>Pri 1, Med Emer</i>	
		D	4	Clammy	06D04	<i>Pri 1, Med Emer</i>	
		C	1	Abnormal breathing	06C01	<i>Pri 2, Med Emer</i>	

Burns (Scalds) / Explosion (Blast)	7	D	0	Override	07D00	<i>Pri 1, Med Emer</i>	
		D	1	Multiple victims	07D01	<i>Pri 1, Med Emer</i>	
		D	2	Unconscious or Arrest	07D02	<i>Pri 1, Med Emer</i>	
		D	3	Not alert	07D03	<i>Pri 1, Med Emer</i>	
		D	4	DIFFICULTY SPEAKING BETWEEN BREATHS	07D04	<i>Pri 1, Med Emer</i>	
		C	0	Override	07C00	<i>Pri 2, Med Emer</i>	
		C	1	Building fire with persons reported inside	07C01	<i>Building Fire</i>	
		C	2	Difficulty breathing	07C02	<i>Pri 1, Med Emer</i>	
		C	3	Burns ≥ 18% body area	07C03	<i>Pri 2, Med Emer</i>	
		C	4	SIGNIFICANT FACIAL burns	07C04	<i>Pri 1, Med Emer</i>	
		B	0	Override	07B00	<i>Pri 2, Med Emer</i>	
		B	1	Blast injuries (without priority symptoms)	07B01	<i>Pri 2, Med Emer</i>	
		B	2	Unknown status/Other codes not applicable	07B02	<i>Pri 2, Med Emer</i>	
		A	1	Burns ≤ 18% body area	07A01	<i>Pri 2, Med Emer</i>	Quiet
		A	2	Fire alarm (unknown situation)	07A02	<i>Business Alarm</i>	
		A	3	Sunburn or MINOR burns (≤ hand size)	07A03	<i>Med Transfer</i>	
Carbon Monoxide/Inhalation/Hazmat/CBRN	8	D	0	Override	08D00	<i>CO w/ Symptoms</i>	
		D	1	Unconscious or Arrest	08D01	<i>CO w/ Symptoms</i>	
		D	2	Not alert	08D02	<i>CO w/ Symptoms</i>	
		D	3	DIFFICULTY SPEAKING BETWEEN BREATHS	08D03	<i>CO w/ Symptoms</i>	
		D	4	Multiple victims	08D04	<i>Haz-Mat</i>	

		D	5	Unknown status/Other codes not applicable	08D05	<i>CO w/ Symptoms</i>	
		C	0	Override	08C00	<i>CO w/ Symptoms</i>	
		C	1	Alert with difficulty breathing	08C01	<i>CO w/ Symptoms</i>	
		B	0	Override	08B00	<i>CO w/ Symptoms</i>	
		B	1	Alert without difficulty breathing	08B01	<i>CO w/ No Symptoms</i>	
		Ω	1	Carbon monoxide detector alarm (without priority symptoms)	08O01	<i>CO w/ No Symptoms</i>	
Cardiac or Respiratory Arrest / Death	9	E	0	Override	09E00	<i>Pri 1, Med Emer</i>	
		E	1	Not breathing at all	09E01	<i>Pri 1, Med Emer</i>	
		E	2	Breathing uncertain (AGONAL)	09E02	<i>Pri 1, Med Emer</i>	
		E	3	Hanging	09E03	<i>Pri 1, Med Emer</i>	
		E	4	Strangulation	09E04	<i>Pri 1, Med Emer</i>	
		E	5	Suffocation	09E05	<i>Pri 1, Med Emer</i>	
		E	6	Underwater	09E06	<i>Water Rescue</i>	
		D	0	Override	09D00	<i>Pri 1, Med Emer</i>	
		D	1	INEFFECTIVE BREATHING (discovered during Key Questioning only) * (select only when linking from other Chief Complaint Protocols)	09D01	<i>Pri 1, Med Emer</i>	
		D	2	OBVIOUS or EXPECTED DEATH questionable	09D02	<i>Pri 1, Med Emer</i>	
		B	0	Override	09B00	<i>Pri 1, Med Emer</i>	
		B	1	OBVIOUS DEATH unquestionable (a through i)	09B01	<i>NOTIFY PD</i>	
		Ω	1	EXPECTED DEATH unquestionable (x through z)	09O01	<i>NOTIFY PD</i>	

Chest Pain (Non-Traumatic)	10	D	0	Override	10D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	10D01	<i>Pri 1, Med Emer</i>	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	10D02	<i>Pri 1, Med Emer</i>	
		D	3	CHANGING COLOR	10D03	<i>Pri 1, Med Emer</i>	
		D	4	Clammy	10D04	<i>Pri 1, Med Emer</i>	
		C	0	Override	10D00	<i>Pri 2, Med Emer</i>	
		C	1	Abnormal breathing	10C01	<i>Pri 2, Med Emer</i>	
		C	2	Heart attack or angina history	10C02	<i>Pri 2, Med Emer</i>	
		C	3	Cocaine	10C03	<i>Pri 1, Med Emer</i>	
		C	4	Breathing normally ≥ 35	10C04	<i>Pri 2, Med Emer</i>	
		A	1	Breathing normally ≤ 35	10A01	<i>Pri 2, Med Emer</i>	
Choking	11	E	0	Override	11E00	<i>Pri 1, Med Emer</i>	
		E	1	COMPLETE obstruction/INEFFECTIVE BREATHING	11E01	<i>Pri 1, Med Emer</i>	
		D	0	Override	11D00	<i>Pri 1, Med Emer</i>	
		D	1	Abnormal breathing (PARTIAL obstruction)	11D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	11D02	<i>Pri 1, Med Emer</i>	
		A	1	Not choking now (can talk or cry, is alert and breathing normally)	11A01	<i>Pri 2, Med Emer</i>	
Convulsions/Seizures	12	D	0	Override	12D00	<i>Pri 1, Med Emer</i>	
		D	1	Not breathing (after Key Questioning)	12D01	<i>Pri 1, Med Emer</i>	
		D	2	CONTINUOUS or MULTIPLE seizures	12D02	<i>Pri 2, Med Emer</i>	
		D	3	AGONAL/INEFFECTIVE BREATHING	12D03	<i>Pri 1, Med Emer</i>	
		D	4	Effective breathing not verified ≥ 35	12D04	<i>Pri 1, Med Emer</i>	

		C	0	Override	12C00	<i>Pri 2, Med Emer</i>	
		C	1	FOCAL seizure (not alert)	12C01	<i>Pri 1, Med Emer</i>	
		C	2	Pregnancy	12C02	<i>Pri 2, Med Emer</i>	
		C	3	Diabetic	12C03	<i>Pri 2, Med Emer</i>	
		B	0	Override	12B00	<i>Pri 2, Med Emer</i>	
		B	1	Effective breathing not verified ≤ 35	12B01	<i>Pri 2, Med Emer</i>	
		A	1	Not seizing now and breathing effectively (verified)	12A01	<i>Pri 2, Med Emer</i>	
		A	2	FOCAL seizure (alert)	12A02	<i>Pri 2, Med Emer</i>	
		A	3	Impending seizure (aura)	12A03	<i>Pri 2, Med Emer</i>	
Diabetic Problems	13	D	0	Override	13D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious	13D01	<i>Pri 1, Med Emer</i>	
		C	0	Override	13C00	<i>Pri 2, Med Emer</i>	
		C	1	Not alert	13C01	<i>Pri 1, Med Emer</i>	
		C	2	Abnormal behavior	13C02	<i>Pri 2, Med Emer</i>	
		C	3	Abnormal breathing	13C03	<i>Pri 2, Med Emer</i>	
		A	1	Alert and behaving normally	13A01	<i>Pri 2, Med Emer</i>	Quiet
Drowning (Near) / Diving / SCUBA Accident	14	D	0	Override	14D00	<i>Water Rescue</i>	
		D	1	Unconscious or Arrest	14D01	<i>Water Rescue</i>	
		D	2	Not alert	14D02	<i>Water Rescue</i>	
		D	3	DIVING or suspected neck injury	14D03	<i>Water Rescue</i>	
		D	4	SCUBA accident	14D04	<i>Water Rescue</i>	
		C	0	Override	14C00	<i>Water Rescue</i>	
		C	1	Alert with abnormal breathing	14C01	<i>Water Rescue</i>	
		B	0	Override	14B00	<i>Water Rescue</i>	

		B	1	Alert and breathing normally (injuries or in water)	14B01	<i>Water Rescue</i>	
		B	2	Unknown status/Other codes not applicable	14B02	<i>Pri 2, Med Emer</i>	
		A	1	Alert and breathing normally (no injuries and out of water)	14A01	<i>Pri 2, Med Emer</i>	
Electrocution/Lightning	15	E	0	Override	15E00	<i>Pri 1, Med Emer</i>	
		E	1	NOT BREATHING/INEFFECTIVE BREATHING	15E01	<i>Pri 1, Med Emer</i>	
		D	0	Override	15D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious	15D01	<i>Pri 1, Med Emer</i>	
		D	2	Not disconnected from power	15D02	<i>Pri 1, Med Emer</i>	
		D	3	Power not off or hazard present	15D03	<i>Pri 1, Med Emer</i>	
		D	4	EXTREME FALL (≥ 30ft/10m)	15D04	<i>Rescue</i>	
		D	5	LONG FALL	15D05	<i>Pri 1, Med Emer</i>	
		D	6	Not alert	15D06	<i>Pri 1, Med Emer</i>	
		D	7	Abnormal breathing	15D07	<i>Pri 2, Med Emer</i>	
		D	8	Unknown status/Other codes not applicable	15D08	<i>Pri 2, Med Emer</i>	
		C	1	Alert and breathing normally	15C01	<i>Pri 2, Med Emer</i>	
Eye Problems / Injuries	16	D	0	Override	16D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	16D01	<i>Pri 1, Med Emer</i>	
		B	0	Override	16B00	<i>Pri 2, Med Emer</i>	
		B	1	SEVERE eye injuries	16B01	<i>Pri 2, Med Emer</i>	
		A	1	MODERATE eye injuries	16A01	<i>Pri 2, Med Emer</i>	
		A	2	MINOR eye injuries	16A02	<i>Pri 2, Med Emer</i>	Quiet
		A	3	MEDICAL eye problems	16A03	<i>Med Transfer</i>	
Falls	17	D	0	Override	17D00	<i>Rescue</i>	
		D	1	EXTREME FALL (≥ 30ft/10m)	17D01	<i>Rescue</i>	

		D	2	Unconscious or Arrest	17D02	<i>Pri 1, Med Emer</i>	
		D	3	Not alert	17D03	<i>Pri 1, Med Emer</i>	
		D	4	Chest or Neck injury (with difficulty breathing)	17D04	<i>Pri 1, Med Emer</i>	
		D	5	LONG FALL	17D05	<i>Pri 1, Med Emer</i>	
		B	0	Override	17B00	<i>Pri 2, Med Emer</i>	
		B	1	POSSIBLY DANGEROUS body area	17B01	<i>Pri 2, Med Emer</i>	
		B	2	SERIOUS hemorrhage	17B02	<i>Pri 2, Med Emer</i>	
		B	3	Unknown status/Other codes not applicable	17B03	<i>Pri 2, Med Emer</i>	
		A	0	Override	17A00	<i>Pri 2, Med Emer</i>	
		A	1	NOT DANGEROUS body area	17A01	<i>Pri 2, Med Emer</i>	
		A	2	NON-RECENT (≥ 6 hours) injuries (without priority symptoms)	17A02	<i>Med Transfer</i>	
		A	3	PUBLIC ASSIST (no injuries and no priority symptoms)	17A03	<i>Assist with Lifting</i>	
Headache	18	C	0	Override	18C00	<i>Pri 1, Med Emer</i>	
		C	1	Not alert	18C01	<i>Pri 1, Med Emer</i>	
		C	2	Abnormal breathing	18C02	<i>Pri 2, Med Emer</i>	
		C	3	Speech problems	18C03	<i>Pri 2, Med Emer</i>	
		C	4	Sudden onset of severe pain	18C04	<i>Pri 2, Med Emer</i>	
		C	5	Numbness	18C05	<i>Pri 2, Med Emer</i>	
		C	6	Paralysis	18C06	<i>Pri 2, Med Emer</i>	
		C	7	Change in behavior (≤ 3 hrs)	18C07	<i>Pri 2, Med Emer</i>	
		B	0	Override	18B00	<i>Pri 2, Med Emer</i>	
		B	1	Unknown status/Other codes not applicable	18B01	<i>Pri 2, Med Emer</i>	Quiet
		A	1	Breathing normally	18A01	<i>Med Transfer</i>	
Heart Problems / A.I.C.D.	19	D	0	Override	19D00	<i>Pri 1, Med Emer</i>	

		D	1	Not alert	19D01	<i>Pri 1, Med Emer</i>	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	19D02	<i>Pri 1, Med Emer</i>	
		D	3	CHANGING COLOR	19D03	<i>Pri 1, Med Emer</i>	
		D	4	Clammy	19D04	<i>Pri 1, Med Emer</i>	
		D	5	Just resuscitated and/or defibrillated (external)	19D05	<i>Pri 1, Med Emer</i>	
		C	0	Override	19C00	<i>Pri 2, Med Emer</i>	
		C	1	Firing of A.I.C.D	19C01	<i>Pri 2, Med Emer</i>	
		C	2	Abnormal breathing	19C02	<i>Pri 2, Med Emer</i>	
		C	3	Chest pain \geq 35	19C03	<i>Pri 2, Med Emer</i>	
		C	4	Cardiac history	19C04	<i>Pri 2, Med Emer</i>	
		C	5	Cocaine	19C05	<i>Pri 1, Med Emer</i>	
		C	6	Heart rate \leq 50 bpm or \geq 130 bpm (without priority symptoms)	19C06	<i>Pri 2, Med Emer</i>	
		C	7	Unknown status/Other codes not applicable	19C07	<i>Pri 2, Med Emer</i>	
		B	0	Override	19B00	<i>Pri 2, Med Emer</i>	
		A	1	Heart rate \geq 50 bpm and \leq 130 bpm (without priority symptoms)	19A01	<i>Pri 2, Med Emer</i>	
		A	2	Chest pain \leq 35 (without priority symptoms)	19A02	<i>Pri 2, Med Emer</i>	
Heat / Cold Exposure	20	D	0	Override	20D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	20D01	<i>Pri 1, Med Emer</i>	
		D	2	Multiple victims (with priority symptoms)	20D02	<i>Pri 1, Med Emer</i>	
		C	0	Override	20C00	<i>Pri 2, Med Emer</i>	
		C	1	Heart attack or angina history	20C01	<i>Pri 2, Med Emer</i>	
		B	0	Override	20B00	<i>Pri 2, Med Emer</i>	
		B	1	Change in skin color	20B01	<i>Pri 2, Med Emer</i>	

		B	2	Unknown status/Other codes not applicable	20B02	<i>Pri 2, Med Emer</i>	
		A	1	Alert	20A01	<i>Pri 2, Med Emer</i>	
Hemorrhage / Lacerations	21	D	0	Override	21D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious or Arrest	21D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	21D02	<i>Pri 1, Med Emer</i>	
		D	3	DANGEROUS hemorrhage	21D03	<i>Pri 2, Med Emer</i>	
		D	4	Abnormal breathing	21D04	<i>Pri 2, Med Emer</i>	
		C	0	Override	21C00	<i>Pri 2, Med Emer</i>	
		C	1	Hemorrhage through TUBES	21C01	<i>Pri 2, Med Emer</i>	
		C	2	Hemorrhage of dialysis fistula	21C02	<i>Pri 2, Med Emer</i>	
		B	0	Override	21B00	<i>Pri 2, Med Emer</i>	
		B	1	POSSIBLY DANGEROUS hemorrhage	21B01	<i>Pri 2, Med Emer</i>	
		B	2	SERIOUS hemorrhage	21B02	<i>Pri 2, Med Emer</i>	
		B	3	Bleeding disorder	21B03	<i>Pri 2, Med Emer</i>	
		B	4	Blood thinners	21B04	<i>Pri 2, Med Emer</i>	
		A	1	NOT DANGEROUS hemorrhage	21A01	<i>Pri 2, Med Emer</i>	
		A	2	MINOR hemorrhage	21A02	<i>Pri 2, Med Emer</i>	
Inaccessible Incident / Other Entrapments (Non-Vehicle)	22	D	0	Override	22D00	<i>Rescue</i>	
		D	1	Mechanical/Machinery ENTRAPMENT	22D01	<i>Rescue</i>	
		D	2	Trench collapse	22D02	<i>Rescue</i>	
		D	3	Structure collapse	22D03	<i>Rescue</i>	
		D	4	Confined space ENTRAPMENT	22D04	<i>Rescue</i>	
		D	5	Inaccessible terrain situation	22D05	<i>Rescue</i>	
		D	6	Mudslide/Avalanche	22D06	<i>Rescue</i>	

		B	0	Override	22B00	<i>Rescue</i>	
		B	1	No longer trapped (unknown injuries)	22B01	<i>Pri 2, Med Emer</i>	
		B	2	PERIPHERAL ENTRAPMENT only	22B02	<i>Rescue</i>	
		B	3	Unknown status (investigation)/Other codes not applicable	22B03	<i>Rescue</i>	
		A	1	No longer trapped (no injuries)	22A01	<i>Pri 2, Med Emer</i>	
Overdose / Poisoning (Ingestion)	23	D	0	Override	23D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious	23D01	<i>Pri 1, Med Emer</i>	
		D	2	CHANGING COLOR	23D02	<i>Pri 1, Med Emer</i>	
		C	0	Override	23C00	<i>Pri 1, Med Emer</i>	
		C	1	Not alert	23C01	<i>Pri 1, Med Emer</i>	
		C	2	Abnormal breathing	23C02	<i>Pri 2, Med Emer</i>	
		C	3	Antidepressants (tricyclic)	23C03	<i>Pri 2, Med Emer</i>	
		C	4	Cocaine, methamphetamine (or derivatives)	23C04	<i>Pri 2, Med Emer</i>	
		C	5	Narcotics (heroin)	23C05	<i>Pri 2, Med Emer</i>	
		C	6	Acid or alkali (lye)	23C06	<i>Pri 2, Med Emer</i>	
		C	7	Unknown status/Other codes not applicable	23C07	<i>Pri 2, Med Emer</i>	
		C	8	Poison Control request for response	23C08	<i>Pri 2, Med Emer</i>	
		B	0	Override	23B00	<i>Pri 2, Med Emer</i>	
		B	1	OVERDOSE (without priority symptoms)	23B01	<i>Pri 2, Med Emer</i>	
		Ω	1	POISONING (without priority symptoms)	23O01	<i>Pri 2, Med Emer</i>	Quiet
Pregnancy / Childbirth / Miscarriage	24	D	0	Override	24D00	<i>Pri 1, Med Emer</i>	
		D	1	BREECH or CORD	24D01	<i>Pri 1, Med Emer</i>	

		D	2	Head visible/out	24D02	<i>Pri 1, Med Emer</i>	
		D	3	IMMINENT delivery (\geq 5 months/20 weeks)	24D03	<i>Pri 1, Med Emer</i>	
		D	4	3rd TRIMESTER hemorrhage	24D04	<i>Pri 2, Med Emer</i>	
		D	5	HIGH RISK complications	24D05	<i>Pri 2, Med Emer</i>	
		D	6	Baby born (complications with baby)	24D06	<i>Pri 1, Med Emer</i>	
		D	7	Baby born (complications with mother)	24D07	<i>Pri 1, Med Emer</i>	
		C	0	Override	24C00	<i>Pri 2, Med Emer</i>	
		C	1	2nd TRIMESTER hemorrhage or MISCARRIAGE	24C01	<i>Pri 2, Med Emer</i>	
		C	2	1st TRIMESTER SERIOUS hemorrhage	24C02	<i>Pri 2, Med Emer</i>	
		C	3	Baby born (no complications)	24C03	<i>Pri 1, Med Emer</i>	
		B	0	Override	24B00	<i>Pri 2, Med Emer</i>	
		B	1	Labor (delivery not imminent , \geq 5 months/20 weeks)	24B01	<i>Pri 2, Med Emer</i>	
		B	2	Unknown status/Other codes not applicable	24B02	<i>Pri 2, Med Emer</i>	
		A	0	Override	24A00	<i>Pri 2, Med Emer</i>	
		A	1	1st TRIMESTER hemorrhage or MISCARRIAGE	24A01	<i>Pri 2, Med Emer</i>	Quiet
		Ω	1	Waters broken (no contractions or presenting parts)	24O01	<i>Pri 2, Med Emer</i>	
Psychiatric / Abnormal Behavior / Suicide Attempt	25	D	0	Override	25D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	25D01	<i>Pri 1, Med Emer</i>	
		D	2	DANGEROUS hemorrhage	25D02	<i>Pri 1, Med Emer</i>	
		B	0	Override	25B00	<i>Pri 2, Med Emer</i>	
		B	1	SERIOUS hemorrhage	25B01	<i>Pri 2, Med Emer</i>	

		B	2	Non-SERIOUS or MINOR hemorrhage	25B02	<i>Pri 2, Med Emer</i>	
		B	3	THREATENING SUICIDE	25B03	<i>Pri 2, Med Emer</i>	
		B	4	Jumper (threatening)	25B04	<i>Pri 2, Med Emer</i>	Quiet
		B	5	Near hanging, strangulation, or suffocation (alert)	25B05	<i>Pri 2, Med Emer</i>	
		B	6	Unknown status/Other codes not applicable	25B06	<i>Pri 2, Med Emer</i>	
		A	1	Non-suicidal and alert	25A01	<i>Med Transfer</i>	
		A	2	Suicidal (not threatening) and alert	25A02	<i>NOTIFY PD</i>	
Sick Person (Specific Diagnosis)	26	D	0	Override	26D00	<i>Pri 1, Med Emer</i>	
		D	1	Not alert	26D01	<i>Pri 1, Med Emer</i>	
		C	0	Override	26C00	<i>Pri 2, Med Emer</i>	
		C	1	ALTERED LEVEL OF CONSCIOUSNESS	26C01	<i>Pri 2, Med Emer</i>	
		C	2	Abnormal breathing	26C02	<i>Pri 2, Med Emer</i>	
		C	3	Sickle cell crisis/Thalassemia	26C03	<i>Pri 2, Med Emer</i>	
		B	0	Override	26B00	<i>Pri 2, Med Emer</i>	
		B	1	Unknown status/Other codes not applicable	26B01	<i>Pri 2, Med Emer</i>	
		A	0	Override	26A00	<i>Pri 2, Med Emer</i>	
		A	1	No priority symptoms (complaint conditions 2-11 not identified)	26A01	<i>Med Transfer</i>	
		A	2	NON-PRIORITY Complaints	26A02-A11	<i>Med Transfer</i>	
		Ω	1	This code is not in use	26O01	<i>Med Transfer</i>	
		Ω	9	NON-PRIORITY Complaints	26O09	<i>Still Alarm / Pub Service</i>	
		Ω	2	NON-PRIORITY Complaints	26O02-O28	<i>Med Transfer</i>	
Stab / Gunshot / Penetrating Trauma	27	D	0	Override	27D00	<i>Pri 1, Med Emer</i>	

		D	1	Unconscious or Arrest	27D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	27D02	<i>Pri 1, Med Emer</i>	
		D	3	CENTRAL wounds	27D03	<i>Pri 1, Med Emer</i>	
		D	4	Multiple wounds	27D04	<i>Pri 1, Med Emer</i>	
		D	5	Multiple victims	27D05	<i>Pri 1, Med Emer</i>	
		B	0	Override	26B00	<i>Pri 2, Med Emer</i>	
		B	1	NON-RECENT (≥ 6 hrs) single CENTRAL wound	27B01	<i>Pri 2, Med Emer</i>	
		B	2	Known single PERIPHERAL wound	27B02	<i>Pri 2, Med Emer</i>	
		B	3	SERIOUS hemorrhage	27B03	<i>Pri 2, Med Emer</i>	
		B	4	Unknown status/Other codes not applicable	27B04	<i>Pri 2, Med Emer</i>	
		B	5	OBVIOUS DEATH (explosive GSW to head)	27B05	<i>NOTIFY PD</i>	
		A	1	NON-RECENT (≥ 6 hrs) PERIPHERAL wounds (without priority symptoms)	27A01	<i>Pri 2, Med Emer</i>	
Stroke (CVA)	28	C	0	Override	28C00	<i>Pri 1, Med Emer</i>	
		C	1	Not alert	28C01	<i>Pri 1, Med Emer</i>	
		C	2	Abnormal breathing	28C02	<i>Pri 2, Med Emer</i>	
		C	3	Speech problems	28C03	<i>Pri 2, Med Emer</i>	
		C	4	Numbness, paralysis, or movement problems	28C04	<i>Pri 2, Med Emer</i>	
		C	5	Vision problems	28C05	<i>Pri 2, Med Emer</i>	
		C	6	Sudden onset of severe headache	28C06	<i>Pri 2, Med Emer</i>	
		C	7	STROKE history	28C07	<i>Pri 2, Med Emer</i>	
		C	8	Breathing normally ≥ 35	28C08	<i>Pri 2, Med Emer</i>	
		B	0	Override	28B00	<i>Pri 2, Med Emer</i>	
		B	1	Unknown status/Other codes not applicable	28B01	<i>Pri 2, Med Emer</i>	
		A	1	Breathing normally ≤ 35	28A01	<i>Pri 2, Med Emer</i>	

Traffic / Transportation Incidents	29	D	0	Override	29D00	<i>MVA w/Entrapment</i>	
		D	1	MAJOR INCIDENT (a through f)	29D01	<i>MVA w/Entrapment</i>	
		D	2	HIGH MECHANISM (k through s)	29D02	<i>MVA w/Entrapment</i>	
		D	3	HAZMAT	29D03	<i>Haz-Mat</i>	
		D	4	Pinned (trapped) victim	29D04	<i>MVA w/Entrapment</i>	
		D	5	Not alert	29D05	<i>MVA w/Injury</i>	
		B	0	Override	29B00	<i>MVA w/Injury</i>	
		B	1	Injuries	29B01	<i>MVA w/Injury</i>	
		B	2	SERIOUS hemorrhage	29B02	<i>MVA w/Injury</i>	
		B	3	Other hazards	29B03	<i>MVA w/Injury</i>	
		B	4	Unknown status/Other codes not applicable	29B04	<i>MVA w/Injury</i>	
		A	0	Override	29A00	<i>MVA w/Injury</i>	
		A	1	1st party caller with injury to NOT DANGEROUS body area	29A01	<i>MVA w/Injury</i>	
		Ω	1	No injuries (confirmed)	29O01	<i>NOTIFY PD</i>	
Traumatic Injuries (Specific)	30	D	0	Override	30D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious or Arrest	30D01	<i>Pri 1, Med Emer</i>	
		D	2	Not alert	30D02	<i>Pri 1, Med Emer</i>	
		D	3	Chest or Neck injury (with difficulty breathing)	30D03	<i>Pri 1, Med Emer</i>	
		B	0	Override	30B00	<i>Pri 2, Med Emer</i>	
		B	1	POSSIBLY DANGEROUS body area	30B01	<i>Pri 2, Med Emer</i>	
		B	2	SERIOUS hemorrhage	30B02	<i>Pri 2, Med Emer</i>	
		A	1	NOT DANGEROUS body area	30A01	<i>Pri 2, Med Emer</i>	
		A	2	NON-RECENT (≥ 6hrs) injuries (without priority symptoms)	30A02	<i>Pri 2, Med Emer</i>	

		Ω	1	No injuries (confirmed)	30O01	<i>Med Transfer</i>	
Unconscious / Fainting (Near)	31	E	0	Override	31E00	<i>Pri 1, Med Emer</i>	
		E	1	INEFFECTIVE BREATHING * (to be selected from Case Entry only)	31E01	<i>Pri 1, Med Emer</i>	
		D	0	Override	31D00	<i>Pri 1, Med Emer</i>	
		D	1	Unconscious - AGONAL/INEFFECTIVE BREATHING	31D01	<i>Pri 1, Med Emer</i>	
		D	2	Unconscious - Effective breathing	31D02	<i>Pri 1, Med Emer</i>	
		D	3	Not alert	31D03	<i>Pri 1, Med Emer</i>	
		D	4	CHANGING COLOR	31D04	<i>Pri 1, Med Emer</i>	
		C	0	Override	31C00	<i>Pri 2, Med Emer</i>	
		C	1	Alert with abnormal breathing	31C01	<i>Pri 2, Med Emer</i>	
		C	2	Fainting episode (s) and alert ≥ 35 (with cardiac history)	31C02	<i>Pri 2, Med Emer</i>	
		C	3	Females 12-50 with abdominal pain	31C03	<i>Pri 2, Med Emer</i>	
		A	1	Fainting episode (s) and alert ≥ 35 (without cardiac history)	31A01	<i>Pri 2, Med Emer</i>	
		A	2	Fainting episode (s) and alert ≤ 35 (with cardiac history)	31A02	<i>Pri 2, Med Emer</i>	
		A	3	Fainting episode (s) and alert ≤ 35 (without cardiac history)	31A03	<i>Pri 2, Med Emer</i>	Quiet
Unknown Problem (Man Down)	32	D	0	Override	32D00	<i>Pri 1, Med Emer</i>	
		D	1	LIFE STATUS QUESTIONABLE	32D01	<i>Pri 1, Med Emer</i>	
		B	1	Standing, sitting, moving, or talking	32B01	<i>Pri 2, Med Emer</i>	
		B	2	Medical Alarm (Alert) notifications (no patient information)	32B02	<i>Pri 2, Med Emer</i>	
		B	3	Unknown status/Other codes not applicable	32B03	<i>Pri 2, Med Emer</i>	

		B	4	Caller's language not understood (no interpreter in center)	32B04	<i>Pri 2, Med Emer</i>	
Transfer / Interfacility / Palliative Care	33	D	0	Override	33D00	<i>Pri 1, Med Emer</i>	
		D	1	Suspected cardiac or respiratory arrest	33D01	<i>Pri 1, Med Emer</i>	
		D	2	Just resuscitated and/or defibrillated (external)	33D02	<i>Pri 1, Med Emer</i>	
		C	0	Override	33C00	<i>Pri 2, Med Emer</i>	
		C	1	Not alert (acute change)	33C01	<i>Pri 1, Med Emer</i>	
		C	2	Abnormal breathing (acute onset)	33C02	<i>Pri 2, Med Emer</i>	
		C	3	Significant hemorrhage or shock	33C03	<i>Pri 2, Med Emer</i>	
		C	4	Possible acute heart problems or MI (heart attack)	33C04	<i>Pri 2, Med Emer</i>	
		C	5	Acute severe pain	33C05	<i>Pri 2, Med Emer</i>	
		C	6	Emergency response requested	33C06	<i>Pri 2, Med Emer</i>	
		A	1	ACUITY I (no priority symptoms)	33A01	<i>Med Transfer</i>	
		A	2	ACUITY II (no priority symptoms)	33A02	<i>Med Transfer</i>	
		A	3	ACUITY III (no priority symptoms)	33A03	<i>Med Transfer</i>	
Automatic Crash Notification	34	D	0	Override	34D00	<i>MVA w/Entrapment</i>	
		D	1	HIGH MECHANISM (h through n)	34D01	<i>MVA w/Entrapment</i>	
		D	2	Unconscious	34D02	<i>MVA w/Injury</i>	
		D	3	NOT BREATHING / INEFFECTIVE BREATHING	34D03	<i>MVA w/Injury</i>	
		D	4	LIFE STATUS QUESTIONABLE	34D04	<i>MVA w/Injury</i>	
		B	0	Override	34B00	<i>MVA w/Injury</i>	
		B	1	Injuries Involved	34B01	<i>MVA w/Injury</i>	
		B	2	Multiple victims (one unit)	34B02	<i>MVA w/Injury</i>	
		B	3	Multiple victims (additional units)	34B03	<i>MVA w/Injury</i>	

		B	4	Air Bag/Other Automatic Sensor	34B04	<i>MVA w/Injury</i>	
		A	0	Injuries Involved	34A00	<i>MVA w/Injury</i>	
		A	1	NOT DANGEROUS injuries (1st party and single occupant)	34A01	<i>MVA w/Injury</i>	
		Ω	1	No Injuries (refer to Police)	34O01	<i>NOTIFY PD</i>	
Health Care Professional Admission	35	D	0	Override	35D00	<i>Pri 1, Med Emer</i>	
		D	1	HCP not on scene (immediate life threat)	35D01	<i>Pri 1, Med Emer</i>	
		D	2	HCP without AED on scene (immediate life threat)	35D02	<i>Pri 1, Med Emer</i>	
		D	3	HCP and AED on scene (immediate life threat)	35D03	<i>Pri 1, Med Emer</i>	
		C	0	Override	35C00	<i>Pri 2, Med Emer</i>	
		C	1	HCP not on scene (emergency response)	35C01	<i>Pri 1, Med Emer</i>	
		C	2	HCP without AED on scene (emergency response)	35C02	<i>Pri 2, Med Emer</i>	
		C	3	HCP with AED on scene (emergency response)	35C03	<i>Pri 2, Med Emer</i>	
		A	1	At patient within 1 hour	35A01	<i>Med Transfer</i>	
		A	2	At patient within 2 hours	35A02	<i>Med Transfer</i>	
		A	3	At patient within 3 hours	35A03	<i>Med Transfer</i>	
		A	4	At patient within 4 hours	35A04	<i>Med Transfer</i>	
Pandemic Flu	36	D	0	Override	36D00	<i>Pri 2, Med Emer</i>	
		D	1	INEFFECTIVE BREATHING with flu symptoms	36D01	<i>Pri 2, Med Emer</i>	
		D	2	Not alert with flue symptoms	36D02	<i>Pri 2, Med Emer</i>	
		D	3	DIFFICULTY SPEAKING BETWEEN BREATHS with flu symptoms	36D03	<i>Pri 2, Med Emer</i>	
		D	4	CHANGING COLOR with flu symptoms	36D04	<i>Pri 2, Med Emer</i>	

		C	0	Override	36C00	<i>Pri 2, Med Emer</i>	
		C	1	Chest pain >= 35 with single flu symptom	36C01	<i>Pri 2, Med Emer</i>	
		C	2	Abnormal breathing with single flu symptoms	36C02	<i>Pri 2, Med Emer</i>	
		A	0	Override	36A00	<i>Pri 2, Med Emer</i>	
		A	1	Chest Pain >=35 with multiple flue symptoms	36A01	<i>Pri 2, Med Emer</i>	
		A	2	Chest pain < 35 with single flu symptom	36A02	<i>Pri 2, Med Emer</i>	
		A	3	Abnormal breathing with multiple flu symptoms	36A03	<i>Pri 2, Med Emer</i>	
		Ω	1	Flu symptoms only (cough fever chills or sweats sore throat diarrhea body aches headache etc)	36O01	<i>Med Transfer</i>	
		Ω	2	Chest pain < 35 with multiple flu symptoms	36O02	<i>Med Transfer</i>	